



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/697,186	10/30/2003	Alex Melament	IL920030038US1	8171
75	90 12/29/2005		EXAMINER	
Stephen C. Kaufman			CAMPOS, YAIMA	
Intellectual Prop	erty Law Dept.			
IBM Corporation			ART UNIT	PAPER NUMBER
P. O. Box 218			2185	
Yorktown Heights, NY 10598			DATE MAIL FD: 12/29/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

<del></del>		Application No.	Applicant(s)				
Office Action Summary		10/697,186	MELAMENT ET AL.				
		Examiner	Art Unit	<del></del>			
	-	Yaima Campos	2185				
	- The MAILING DATE of this communication app	•		-			
Period for Reply							
WHIC - Exten after 5 - If NO - Failur Any r	ORTENED STATUTORY PERIOD FOR REPLY THEVER IS LONGER, FROM THE MAILING DAISIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	TE OF THIS COMMUNION (6(a). In no event, however, may a rill apply and will expire SIX (6) MON cause the application to become AE	CATION. eply be timely filed  THS from the mailing date of this communica IANDONED (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on 30 Oc						
,	,—	action is non-final.					
3)							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
	Claim(s) <u>1-14</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
•	5) Claim(s) is/are allowed.						
,	Claim(s) 1-14 is/are rejected.						
	7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
O/LI Glamito/ and sabject to recursion and the enterior extension and the enterior and							
• •	on Papers						
	The specification is objected to by the Examine		by the Examiner				
10)☑ The drawing(s) filed on is/are: a)☑ accepted or b)☐ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
	under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
	1. Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmer	• •	_					
1) Notice	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) (s)/Mail Date				
3) 🔲 Infor	ce of Dransperson's Patent Drawing Review (F10-946) mation Disclosure Statement(s) (PT0-1449 or PT0/SB/08) er No(s)/Mail Date	EV Nation of	Informal Patent Application (PTO-152)				

Art Unit: 2185

#### **DETAILED ACTION**

1. The instant application having Application No. 10/927,186 has a total of 14 claims pending in the application; there are 4 independent claims and 10 dependent claims, all of which are ready for examination by the examiner.

#### I. INFORMATION CONCERNING OATH/DECLARATION

#### Oath/Declaration

The applicant's oath/declaration has been reviewed by the examiner and is found to conform to the requirements prescribed in **37 C.F.R. 1.63**.

#### **II. INFORMATION CONCERNING DRAWINGS**

#### **Drawings**

2. The applicant's drawings submitted are acceptable for examination purposes.

## III. OBJECTIONS TO THE SPECIFICATION

#### Specification Objections

3. The disclosure is objected to because of the following informalities:

The word "will" (page 6, line 22) appears to be a typographical error. It is believed this word should be "well" and has been treated as such for the rest of this Office action.

Appropriate correction is required.

Art Unit: 2185

## IV. REJECTIONS NOT BASED ON PRIOR ART

## Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

5. <u>Claim 4</u> is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As per <u>claim 4</u>, claim 4 recites the limitation "performed substantially immediately after said backing up" in line 2. The word "substantially" renders the claim vague and indefinite because it fails to point out what is included/excluded by the claim language; it is also not clear the time frame that the word "immediately" encompasses. The examiner interprets this claim to read -- transferring is performed after said backing up -- and has been treated as such for the rest of this office action.

Claim 4 is also objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claim 4 appears to duplicate the contents of claim 1, the claim on which it depends.

Appropriate correction is required.

Art Unit: 2185

#### V. REJECTIONS BASED ON PRIOR ART

#### Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. <u>Claims 1, 4, 6 and 13-14</u> are rejected under 35 U.S.C. 103(a) as being unpatentable over Cooke, Jr. et al. (6,574,629) in view of Otterness et al. (US 6,460,122).
- 8. As per claims 1, 4, 6 and 13-14, Cooke discloses "A method and system of storage management," as ["the present invention is directed to a picture archiving communication system which includes improved image routing, retrieval and display capabilities" (Column 1, lines 8-10)] "a program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps of storage management," and "a computer program product comprising a computer useable medium having computer readable program code embodied therein of storage management" [With respect to these limitations, Cooke discloses that "workstation 10 includes memory 21, which comprises a computer readable medium such as one or more computer hard disks" and that "PACS software modules comprise computer-executable code that defines

Art Unit: 2185

process steps for effecting the various PACS functions of each component/extension" (Figures 1,3 and Column 7, lines 42-45 and 54-58)] "the method comprising: storing data on a high reliability high performance storage medium" [With respect to this limitation, Cooke discloses that an "archive station may comprise either a magneto optical disk (MOD)-based archive station, or a digital linear tape (DLT)-based archive station" wherein in a MOD-based archive, "the system uses hard disks" for "intermediateterm storage" (Column 9, lines 10-14) as using a high reliability high performance storage device. Cooke also discloses that "the portion of short term storage, i.e., the RAID and other hard disks, which stores images comprises the MOD-based archive's cache" (Column 9, lines 19-21) "backing up said data on a high reliability low performance storage medium" [Cooke discloses this limitation as "archive station which has access to long-term memory for storing image data" (Column 2, lines 22-23) and further teaches using "DLT media for long-term backup storage" (Column 9, lines 14-15)] "after said backing up, copying at least some of said data from said high reliability high performance storage medium to a low reliability high performance storage medium" [With respect to this limitation, Cooke discloses that "the portion of short term storage, i.e., the RAID and other hard disks, which stores images comprises the MOD-based archive's cache" (Column 9, lines 19-21) as providing a high performance, low reliability portion of memory within the high performance high reliability storage]. Cooke also discloses "freeing space" in memory to prevent overflowing

Art Unit: 2185

as ["autopilot routine which patrols the archive's cache and which automatically deletes studies once they have been archived on a MOD" (Column 9, lines 36-38) as freeing space to prevent overflowing memory]. Cooke further the concept specified in claims 1, 6, and 13-14 as [a "three-tiered storage system" having a short term, intermediate term and long term storages (Column 9, lines 10-21)].

Cooke does not disclose expressly moving data from a high performance high reliability storage to high performance low reliability storage to "free space occupied thereby on the high reliability high performance storage medium."

Otterness discloses moving data from a high performance high reliability storage to high performance low reliability storage to "free space occupied thereby on the high reliability high performance storage medium." Otterness teaches computer memory management comprising different cache levels ["level 0 (primary cache)" and "remote cache" (secondary cache level) which is referred to as "level 1 to n" (Column 4, lines 42-50). Otterness also teaches that "the caching algorithms are designed to move data between various cache levels to free up space in certain caches and to adjust for various host computer access patterns" (Column 6, lines 28-31). Otterness explains that "The "level 0" cache is considered the first level of interaction with host operations. Data is moved to and from the level 0 cache to the host computer system. The level 0 cache is also the fastest" (Column 20, lines 57-60)] as having a short term memory comprising a first high performance high reliability portion and a second high performance low reliability portion and

Art Unit: 2185

migrating data from the first portion to the second portion to free space on the first portion.

(US 6,574,629) by Cooke, Jr. et al. and (US 6,460,122) by Otterness et al. are analogous art because they are form the same field of endeavor of computer memory management and back-up.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to combine the computer memory back-up system/method including short, intermediate and long term storages taught by Cooke further include the ability of moving data within different portions of short term storage to free space occupied on one of these portions as taught by Otterness.

The motivation for doing so would have been because Otterness teaches that ["data is moved into various cache levels based upon host operation" to "optimize the availability of data and the availability of cache lines within a cache level" (Column 5, lines 59-60 and 62-63)].

Therefore, it would have been obvious to combine Otterness et al. (US 6,460,122) and Cooke, Jr. et al. (US 6,574,629) for the benefit of creating a memory management system and method to obtain the invention as specified in claims 1, 4, 6 and 13-14.

9. As per <u>claim 5</u>, the combination of Cooke and Otterness discloses "the method of claim 1" [See rejection to claim 1 above], "wherein said data includes medical images" [With respect to this limitation, Cooke discloses that "the invention has particular utility in a hospital, or group of hospitals,

Art Unit: 2185

since it facilitates inter-departmental access to patient images produced by different types of imaging modalities" (Column 1, lines 11-14)].

- As per claims 7 and 8, the combination of Cooke and Otterness 10. discloses "the system of claim 6," [See rejection to claim 6 above] "further comprising: a storage policy sub-unit configured to determine when to backup data on said low performance high reliability storage medium" and "when to transfer data from said high performance high reliability storage medium to said high performance low reliability storage medium" [With respect to this limitation. Cooke teaches that "network gateway" controls routing of studies "to selected PACS core components and extensions, and prefetching and routing of relevant prior studies between the archive and reviewing stations" and explains that "rules for routing and pre-fetching studies may be based on a number of factors" (Column 10, lines 22-28) wherein "the pre-fetching rules are used to determine which prior studies on the PACS should be retrieved. Once this is done, the prior studies are copied into the archive station's cache (or, alternatively, the network gateway's cache) and routed to the appropriate stations automatically" (Column 19, lines 9-14). Cooke also explains that each MOD-based workstation "provides both manual and automatic control of data migration from short term storage to the MODs" (Column 9, lines 28-30)].
- As per claim 9, the combination of Cooke and Otterness discloses "the 11. system of claim 6," [See rejection to claim 6 above] "wherein said high performance low reliability storage medium is higher volume than said high

Art Unit: 2185

performance high reliability storage medium" [With respect to this limitation, Cooke teaches that "the mod-based archive station includes a three-tiered storage system that uses hard disks for online data storage, MODs for intermediate-term data storage, and DLT media for long-term backup storage" (Column 10, lines 10-16). Cooke also specifies that "Additional RAID ("Redundant Array of Inexpensive Disks") may also be provided for expanded short term storage, depending upon the storage requirements of the facility and the number of studies handled thereby. The portion of short term storage, i.e., the RAID and other hard disks, which stores images comprises the MOD-based archive's cache" (Column 9, lines 16-21) as specifying that a high performance, low reliability portion of memory may be expanded to store a greater amount of data].

12. As per claim 10, the combination of Cooke and Otterness discloses "the system of claim 6," [See rejection to claim 6 above] "wherein said high reliability high performance storage medium is configured to have a mean time between failure which is at least ten times higher than a mean time between failure which said low reliability high performance storage medium is configured to have" [With respect to this limitation, Cooke discloses that by allowing "retrieval of image data from caches, rather than requiring that image data be retrieved from the archive (as is the case in the invention's conventional counterparts), the invention reduces image retrieval time, and thus increases the system's efficiency" (Column 4, lines 5-14) as providing a cache for short term storage within archive stations. At the time of the

Art Unit: 2185

invention, it is well known in the art that a cache memory is used for short-term data storage and that cache memory is faster but less reliable than main memory; therefore, Cooke discloses having a portion of memory for short-term storage wherein a mean time between failures is lower than a main portion of memory].

As per claim 11, the combination of Cooke and Otterness discloses "the **13**. system of claim 6." [See rejection to claim 6 above] wherein said high reliability high performance storage medium is configured to allow at least ten times as many random read/write/rewrite operations per unit of time as said high reliability low performance storage medium is configured to allow" [Cooke discloses this concept as it is explained that "images in PACS component caches may be more accessible than those on the archive may be. Thus, by permitting retrieval of image data from caches, rather than requiring that image data be retrieved from the archive (as is the case in the invention's conventional counterparts), the invention reduces image retrieval time, and thus increases the system's efficiency" (Column 4, lines 5-14) as specifying having a cache as a faster portion of memory than long-term storage in order to allow more read/write operations per unit of time]. Otterness further discloses this concept as ["a multiple level cache structure and multiple level caching method that distributes input/output processing loads including caching between the plurality of processors to provide higher performance input/output processing" (Column 2, lines 46-50)].

Art Unit: 2185

14. As per <u>claim 12</u>, the combination of Cooke and Otterness discloses "the system of claim 6," [See rejection to claim 6 above] "further comprising: a third level of storage comprising at least one low performance high reliability storage media disconnected from said high performance high reliability medium" [With respect to this limitation, Cooke discloses having "MODs (i.e., high-capacity, removable storage media" (Column 9, line 13)]. Additionally, Otterness discloses using ["tape as a backup storage (which would be considered the level 3)" (Column 6, lines 40-41)].

- 15. Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cooke, Jr. et al. (US 6,574,629) and Otterness et al. (US 6,460,122) as applied to claims 1, 4, 6, and 13-14 above, and further in view of Mizrachi et al. (US 2003/0033486).
- 16. As per <u>claims 2 and 3</u>, the combination of Cooke and Otterness discloses "the method of claim 1," [See rejection to claim 1 above], but fails to disclose expressly that "data is classified according to characteristics thereof and is backed up at a rate that is dependent on the respective characteristics of said data" wherein "said data is backed up at a rate dependent on at least one from a group including at least: an occupancy level of said high reliability high performance storage, availability of back-up media and access to said high reliability low performance storage medium."

Mizrachi teaches a memory management method/system wherein "data is classified according to characteristics thereof and is backed up at a rate that is dependent on the respective characteristics of said data" wherein "said data is

Art Unit: 2185

backed up at a rate dependent on at least one from a group including at least: an occupancy level of said high reliability high performance storage, availability of back-up media and access to said high reliability low performance storage medium." Mizrachi discloses this concept as ["a method and apparatus for using estimated communication rates in a cache replacement algorithm" (Column 2, paragraph 0017, lines 2-4), teaches that "a rate estimator. coupled to the mapper, dynamically determines relative rates of active connections. The rates are used to classify the connections as fast or slow" (Column 2, paragraph 0018, lines 13-16) and also discloses that "partitioning the cache memory includes partitioning the cache memory into first and second areas of the cache memory" (Column 3, paragraph 0073) and specifies the existence of "first and second cache memories, coupled to receive and hold context information from an external memory with respect to a plurality of tasks, each task activated by one or more activating events, so that the context information is available for access by a processor in performing the tasks" (Column 3, paragraph 0029)].

(US 6,574,629) by Cooke, Jr. et al., (US 6,460,122) by Otterness et al. and (US 2003/0033486) by Mizrachi et al., are analogous art because they are form the same field of endeavor of computer memory management.

At the time of the invention it would have been obvious to a person of ordinary skill in the art to combine the computer memory back-up system and method including short, intermediate and long term storages taught by Cooke further include the ability of moving data within different portions of short term

Art Unit: 2185

storage to free space occupied on one of these portions as taught by Otterness and further classify and migrate data based on transfer rate information as taught by Mizrachi.

The motivation for doing so would have been because Mizrachi teaches that ["using a partitioned cache architecture based on rate estimation minimizes slow external memory accesses by assuring that context information for faster connection resides in fast internal memory" (Column 3, paragraph 0024)].

Therefore, it would have been obvious to combine Mizrachi et al. (US 2003/0033486) with Otterness et al. (US 6,460,122) and Cooke, Jr. et al. (US 6,574,629) for the benefit of creating a memory management system/method to obtain the invention as specified in claims 2-3.

## VI. RELEVANT ART CITED BY THE EXAMINER

- 17. The following prior art made of record and not relied upon is cited to establish the level of skill in the applicant's art and those arts considered reasonably pertinent to applicant's disclosure. See MPEP 707.05(c).
- 18. The following references teach migration of data from one cache portion/partition/section to another.

#### **U.S. PATENT NUMBER**

US 6,442,601

US 5,148,537

Page 14

Application/Control Number: 10/697,186

Art Unit: 2185

19. The following references teach memory management including primary and secondary portions of memory.

#### **U.S. PATENT NUMBER**

US 6,549,992

US 6,609,183

## VII. CLOSING COMMENTS

## **Conclusion**

#### a. STATUS OF CLAIMS IN THE APPLICATION

20. The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. 707.07(i):

## a(1) CLAIMS REJECTED IN THE APPLICATION

21. Per the instant office action, <u>claims 1-14</u> have received a first action on the merits and are subject of a first action non-final.

## **b.** DIRECTION OF FUTURE CORRESPONDENCES

22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yaima Campos whose telephone number is (571) 272-1232 and email address is <a href="mailto:Yaima.Campos@uspto.gov">Yaima.Campos@uspto.gov</a>. The examiner can normally be reached on Monday to Friday 8:30 AM to 5:00 PM.

Page 15

Application/Control Number: 10/697,186

Art Unit: 2185

## **IMPORTANT NOTE**

23. If attempts to reach the above noted Examiner by telephone or email are unsuccessful, the Examiner's supervisor, Mr. Donald Sparks, can be reached at the following telephone number: Area Code (571) 272-4201.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

December 20, 2005

Yaima Campos

Examiner
Art Unit 2185

DONALD SPARKS
SUPERVISORY PATENT EXAMINER